

Alpha Inositol+ Test Results*

Lot Details

Serving Size

Manufacturing Date

Lot Number

Alpha Inositol+

1 Stick Pack (6.7g)

June 2025

83346



HEAVY METALS

Our Heavy Metal Test Specifications and Compliance Standards

At FullWell, we prioritize transparency and safety by testing every product lot for heavy metals and sharing the results with our customers. To ensure the highest safety standards, we adhere to California's Proposition 65 (Prop 65) limits, which are among the most stringent globally. For example, Prop 65 sets the maximum allowable daily exposure (MADL) for lead at 0.5 micrograms, significantly lower than other standards worldwide. In our test results, we report heavy metal content in micrograms (mcg) per capsule and per daily serving to ensure clarity and alignment with Prop 65's Safe Harbor Levels and MADLs where applicable. For more information, visit our site.

TEST	MCG/STICK PACK	MCG/DAILY SERVING	PROP 65 TEST LIMITS
Arsenic	0.040 mcg/1 stick pack	0.080 mcg/daily serving of 2 stick packs	<10 mcg/daily serving
Cadmium	<0.007 mcg/1 stick pack	<0.014 mcg/daily serving of 2 stick packs	<4.1 mcg/daily serving
Lead	0.174 mcg/1 stick pack	0.348 mcg/daily serving of 2 stick packs	<0.5 mcg/daily serving
Mercury	<0.007 mcg/1 stick pack	<0.014 mcg/daily serving of 2 stick packs	<0.3 mcg/daily serving †

ALLERGENS

TEST	RESULTS	LIMITS
Gluten	<5.0 ppm	<20.0 ppm
Soy	<0.04 ppm	< 10 ppm**
Egg	<1.0 ppm	< 10 ppm**

Alpha Inositol+ Test Results*

ALLERGENS

TEST	RESULTS	LIMITS
Peanut	<1.0 ppm	< 10 ppm**
Walnut	<2.0 ppm	< 10 ppm**
Almond	<0.4 ppm	<10.0 ppm
Sesame	<2.0 ppm	< 10 ppm**
Fish	<4.0 ppm	< 10 ppm**
Tropomyosin from Crustaceans	<0.02 ppm	< 10 ppm**

MICROBES

TEST	RESULTS	LIMITS
E. coli	Absent	Absent/10 g
Yeast & Mold	<100 CFU/g	<500 CFU/g
S. aureus	Absent	Absent
Salmonella	Absent	Absent
Total Plate Count	<100 CFU/g	<500 CFU/g

Alpha Inositol+ Test Results*

ACTIVE INGREDIENTS

TEST	RESULTS	LIMITS
Total Inositol	2207.18 mg	2000 mg
Alpha-lactalbumin	50 mg	50 mg
CoQ10 (Ubiquinone)	102 mg	100 mg

OTHER CONTAMINANTS

TEST	RESULTS	LIMITS
Glyphosate	< 0.01 ppm	<0.1 ppm
BPA	<0.002 ppm	<0.04 ppm

As a reproductive health company that makes products for women and their partners, including those who are trying to get pregnant, pregnant, postpartum and breastfeeding, we take an extremely conservative approach to safety by adopting and adhering to the most conservative standards that exist solely to protect the health and well-being of you, the consumer. We will never release a product that doesn't pass our strict specifications and quality control process. This ensures the highest level of safety and trust for our customers.

*We use third-party testing through Eurofins, and other fully qualified, ISO 17025 accredited laboratories, to verify these results and ensure accuracy. Results have been transcribed into an easy-to-understand format. If you would like to request a copy of the original Certificate of Analysis, please email cs@fullwellfertility.com.

**For total allergens.

† While Prop65 does not establish a MADL for mercury, many legal settlements within California have set precedence for a lower limit of 0.3mcg/day.

Test Certificate

Description: PCOS Orange Creamsicle
Sample ID: B5946
Lot No: 83346
Location:
Received: 6/9/2025
Completed: 6/13/2025

Analysis	Result	Per Unit	Specifications	Method
‡ Inorganic Arsenic	0.040	mcg/6.7g	< 10 mcg/6.7g	ICP-MS USP <730> Modified Prep
‡ Cadmium	<0.007	mcg/6.7g	< 4.1 mcg/6.7g	ICP-MS USP <730>
‡ Mercury	<0.007	mcg/6.7g	< 0.3 mcg/6.7g	ICP-MS USP <730>
‡ Lead w/ Prop 65	0.174	mcg/6.7g	< 0.5 mcg/6.7g	ICP-MS USP <730>