

# Men's Multi Test Results \*

Lot Details  
Serving Size  
Manufacturing Date  
Lot Number

Men's Multivitamin  
4 capsules  
January 2026  
W0046071



## HEAVY METALS

### Our Heavy Metal Test Specifications and Compliance Standards

At FullWell, we prioritize transparency and safety by testing every product lot for heavy metals and sharing the results with our customers. To ensure the highest safety standards, we adhere to California's Proposition 65 (Prop 65) limits, which are among the most stringent globally. For example, Prop 65 sets the maximum allowable daily exposure (MADL) for lead at 0.5 micrograms, significantly lower than other standards worldwide. In our test results, we report heavy metal content in micrograms (mcg) per capsule and per daily serving to ensure clarity and alignment with Prop 65's Safe Harbor Levels and MADLs where applicable. For more information, visit our site.

| TEST    | MCG/CAPSULE       | MCG/DAILY SERVING                     | PROP 65 TEST LIMITS      |
|---------|-------------------|---------------------------------------|--------------------------|
| Arsenic | 0.008 mcg/capsule | 0.032 mcg/daily serving of 4 capsules | <10 mcg/daily serving    |
| Cadmium | 0.020 mcg/capsule | 0.08 mcg/daily serving of 4 capsules  | <4.1 mcg/daily serving   |
| Lead    | 0.060 mcg/capsule | 0.24 mcg/daily serving of 4 capsules  | <0.5 mcg/daily serving   |
| Mercury | 0.006 mcg/capsule | 0.024 mcg/daily serving of 4 capsules | <0.3 mcg/daily serving † |

## ALLERGENS

| TEST   | RESULTS   | LIMITS     |
|--------|-----------|------------|
| Gluten | <4.0 ppm  | <20.0 ppm  |
| Soy    | <0.04 ppm | < 10 ppm** |
| Egg    | <1.0 ppm  | < 10 ppm** |

# Men's Multi Test Results\*

## ALLERGENS

| TEST                         | RESULTS   | LIMITS      |
|------------------------------|-----------|-------------|
| Dairy                        | <0.01 ppm | <10.0 ppm** |
| Peanut                       | <1.0 ppm  | < 10 ppm**  |
| Walnut                       | <2.0 ppm  | < 10 ppm**  |
| Almond                       | <0.4 ppm  | <10.0 ppm   |
| Sesame                       | <2.0 ppm  | < 10 ppm**  |
| Fish                         | <4.0 ppm  | < 10 ppm**  |
| Tropomyosin from Crustaceans | <0.02 ppm | < 10 ppm**  |

## MICROBES

| TEST              | RESULTS   | LIMITS      |
|-------------------|-----------|-------------|
| E. coli           | Absent    | Absent/10 g |
| Yeast & Mold      | <10 CFU/g | <500 CFU/g  |
| S. aureus         | Absent    | Absent      |
| Salmonella        | Absent    | Absent      |
| Total Plate Count | <10 CFU/g | <5000 CFU/g |

# Men's Multi Test Results<sup>\*</sup>

## OTHER CONTAMINANTS

| TEST       | RESULTS      | LIMITS    |
|------------|--------------|-----------|
| Glyphosate | Not Detected | <0.1 ppm  |
| BPA        | Not Detected | <0.04 ppm |

As a reproductive health company that makes products for women and their partners, including those who are trying to get pregnant, pregnant, postpartum and breastfeeding, we take an extremely conservative approach to safety by adopting and adhering to the most conservative standards that exist solely to protect the health and well-being of you, the consumer. We will never release a product that doesn't pass our strict specifications and quality control process. This ensures the highest level of safety and trust for our customers.

<sup>\*</sup>We use third-party testing through Eurofins, and other fully qualified, ISO 17025 accredited laboratories, to verify these results and ensure accuracy. Results have been transcribed into an easy-to-understand format. If you would like to request a copy of the original Certificate of Analysis, please email [cs@fullwellfertility.com](mailto:cs@fullwellfertility.com).

<sup>\*\*</sup>For total allergens.

<sup>†</sup> While Prop65 does not establish a MADL for mercury, many legal settlements within California have set precedence for a lower limit of 0.3mcg/day.