

Nausea Gummies Test Results *

Lot Details

Serving Size

Manufacturing Date

Lot Number

Nausea Gummies

2 gummies (7g)

March 2026

80041



HEAVY METALS

Our Heavy Metal Test Specifications and Compliance Standards

At FullWell, we prioritize transparency and safety by testing every product lot for heavy metals and sharing the results with our customers. To ensure the highest safety standards, we adhere to California's Proposition 65 (Prop 65) limits, which are among the most stringent globally. For example, Prop 65 sets the maximum allowable daily exposure (MADL) for lead at 0.5 micrograms, significantly lower than other standards worldwide. In our test results, we report heavy metal content in micrograms (mcg) per gummy and per daily serving to ensure clarity and alignment with Prop 65's Safe Harbor Levels and MADLs where applicable. For more information, visit our site.

TEST	MCG/GUMMY	MCG/DAILY SERVING	PROP 65 TEST LIMITS
Arsenic	<0.035 mcg/gummy	<0.07 mcg/daily serving of 2 gummies	<10 mcg/day
Cadmium	<0.0175 mcg/gummy	<0.035 mcg/daily serving of 2 gummies	<4.1 mcg/day
Lead	0.07 mcg/gummy	0.14 mcg/daily serving of 2 gummies	<0.5 mcg/day
Mercury	<0.0175 mcg/gummy	<0.035 mcg/daily serving of 2 gummies	<0.3 mcg/day †

ALLERGENS

TEST	RESULTS	LIMITS
Gluten	Not detected	<20.0 ppm
Soy	Not detected	< 10 ppm**
Egg	Not detected	< 10 ppm**

Nausea Gummies Test Results^{*}

ALLERGENS

TEST	RESULTS	LIMITS
B-lactoglobulin Dairy	Not detected	<10.0 ppm**
Peanut	Not detected	< 10 ppm**
Walnut	Not detected	< 10 ppm**
Almond	Not detected	<10.0 ppm
Sesame	Not detected	< 10 ppm**
Fish	Not detected	< 10 ppm**
Tropomyosin from Crustaceans	Not detected	< 10 ppm**

MICROBES

TEST	RESULTS	LIMITS
E. coli	Absent	Absent/10 g
Yeast & Mold	<10 CFU/g	<10 000 CFU/g
S. aureus	Absent	Absent/10 g
Salmonella	Absent	Absent/10 g
Total Plate Count	<10 CFU/g	<10 000 CFU/g
Enterobacteriaceae	<10 CFU/g	Absent/10 g
Listeria Monocytogenes	Absent	Absent/25 g

Nausea Gummies Test Results^{*}

OTHER CONTAMINANTS

TEST	RESULTS	LIMITS
Glyphosate	Not detected	<0.1 ppm
BPA	Not detected	<0.04 ppm


As a reproductive health company that makes products for women and their partners, including those who are trying to get pregnant, pregnant, postpartum and breastfeeding, we take an extremely conservative approach to safety by adopting and adhering to the most conservative standards that exist solely to protect the health and well-being of you, the consumer. We will never release a product that doesn't pass our strict specifications and quality control process. This ensures the highest level of safety and trust for our customers.

^{*}We use third-party testing through Eurofins, and other fully qualified, ISO 17025 accredited laboratories, to verify these results and ensure accuracy. Results have been transcribed into an easy-to-understand format. If you would like to request a copy of the original Certificate of Analysis, please email cs@fullwellfertility.com.

^{**}For total allergens.


[†] While Prop65 does not establish a MADL for mercury, many legal settlements within California have set precedence for a lower limit of 0.3mcg/day.

Product Specification




Prepared For: FullWell
Product Name: Nausea Gummies Item No. [REDACTED]
Lot Number: 80041
Mfg Date: 3/20/2026
Best By: 18 months from mfg
Batch Size: 420kg
Yield: 92.2% including 5,260 saleable units, retains, samples, mfg losses
Fill Weight/Volume: 20 gummies in resealable zip sachet with heat seal

Organoleptic:		Method	Specification	Result
	Aroma	By smell	strong notes of cherry and ginger	Conforms
	Appearance	By visual inspection	amber/red gummy, dome with rounded peak	Conforms



Heavy Metals:		Method	Specification	Result
	Arsenic	AOAC 2011.19, 993.14 and 2015.01	<10 ppb	<10 ppb
	Cadmium	AOAC 2011.19, 993.14 and 2015.01	<5.00 ppb	<5.00 ppb
	Lead	AOAC 2011.19, 993.14 and 2015.01	<23.50 ppb	20 ppb
	Mercury	AOAC 2011.19, 993.14 and 2015.01	<5.00 ppb	<5.00 ppb



ND=Not Detected, NLT=No Less Than, NR=Not Reported, NT=Not Tested, LOD=Limit of Detection, LOQ=Limit of Quantitation.

*BPA- to be tested on the first three lots per year

I certify that the Master Batch Formula for this product has been checked and approved by the Quality Control Department and that the product has been produced in accordance with current Good Manufacturing Practices.

[REDACTED]
[REDACTED]
[REDACTED]