

Women's Fish Oil Test Results*

Lot Details
Serving Size
Manufacturing Date
Lot Number

Women's Fish Oil
2 gelcaps
May 2025
B25035



HEAVY METALS

Our Heavy Metal Test Specifications and Compliance Standards

At FullWell, we prioritize transparency and safety by testing every product lot for heavy metals and sharing the results with our customers. To ensure the highest safety standards, we adhere to California's Proposition 65 (Prop 65) limits, which are among the most stringent globally. For example, Prop 65 sets the maximum allowable daily exposure (MADL) for lead at 0.5 micrograms, significantly lower than other standards worldwide. In our test results, we report heavy metal content in micrograms (mcg) per capsule and per daily serving to ensure clarity and alignment with Prop 65's Safe Harbor Levels and MADLs where applicable. For more information, visit our site.

TEST	MCG/GELCAP	MCG/DAILY SERVING	PROP 65 TEST LIMITS
Arsenic	0.01 mcg/gelcap	0.02 mcg/daily serving of 2 gelcaps	<10 mcg/daily serving
Cadmium	<0.005 mcg/gelcap	<0.01 mcg/daily serving of 2 gelcaps	<4.1 mcg/daily serving
Lead	<0.005 mcg/gelcap	<0.01 mcg/daily serving of 2 gelcaps	<0.5 mcg/daily serving
Mercury	<0.005 mcg/gelcap	<0.01 mcg/daily serving of 2 gelcaps	<0.3 mcg/daily serving †

ALLERGENS

TEST	RESULTS	LIMITS
Gluten	<3.0 ppm	<20.0 ppm
Soy	<2.5 ppm	< 10 ppm**
Egg	<0.5 ppm	< 10 ppm**

Women's Fish Oil Test Results*

ALLERGENS

TEST	RESULTS	LIMITS
Peanut	<0.75 ppm	< 10 ppm**
Walnut	<2.0 ppm	< 10 ppm**
Almond	<0.4 ppm	<10.0 ppm
Sesame	<2.0 ppm	< 10 ppm**
Tropomyosin from Crustaceans	<0.02 ppm	< 10 ppm**

MICROBES

TEST	RESULTS	LIMITS
E. coli	Absent	Absent/10 g
Yeast & Mold	<100 CFU/g	<500 CFU/g
Total Coliforms	<10 CFU/g	<100 CFU/g
Salmonella	Absent	Absent
Total Plate Count	<10 CFU/g	<500 CFU/g
Enterobacteriaceae	<10 CFU/g	<10 CFU/g

Women's Fish Oil Test Results*

ACTIVE INGREDIENTS

TEST	RESULTS	LIMITS
Eicosapentaenoic Acid (EPA)	59 mg per capsule	50 mg per capsule
Docosahexaenoic Acid (DHA)	258 mg per capsule	250 mg per capsule

OTHER CONTAMINANTS


TEST	RESULTS	LIMITS
TOTOX	8	<16
Peroxide	3 mEq/kg	< 5 mEq/kg
Anisidine	2	<20

As a reproductive health company that makes products for women and their partners, including those who are trying to get pregnant, pregnant, postpartum and breastfeeding, we take an extremely conservative approach to safety by adopting and adhering to the most conservative standards that exist solely to protect the health and well-being of you, the consumer. We will never release a product that doesn't pass our strict specifications and quality control process. This ensures the highest level of safety and trust for our customers.

*We use third-party testing through Eurofins, and other fully qualified, ISO 17025 accredited laboratories, to verify these results and ensure accuracy. Results have been transcribed into an easy-to-understand format. If you would like to request a copy of the original Certificate of Analysis, please email cs@fullwellfertility.com.

**For total allergens.

† While Prop65 does not establish a MADL for mercury, many legal settlements within California have set precedence for a lower limit of 0.3mcg/day.



Certificate of Analysis



Sample Name:SG3619			15260910
Project ID		Receipt Date	30-Apr-2025
PO Number	QC25065	Receipt Condition	Ambient temperature
Lot Number	B25035	Login Date	29-Apr-2025
Sample Serving Size	2 Softgel	Date Started	30-Apr-2025
Description	FWFO Womens Fish Oil	Sampled	Sample results apply as received
		Online Order	901-2025-E037830

Elements by ICP Mass Spectrometry			
Arsenic	2.7%	<= 10 mcg/Serving Size	0.0227 mcg/Serving Size
Lead	2.1%	<= 0.5 mcg/Serving Size	<0.00740 mcg/Serving Size
Cadmium	2.2%	<= 4.1 mcg/Serving Size	<0.00740 mcg/Serving Size
Mercury	5.4%	<= 0.3 mcg/Serving Size	<0.00740 mcg/Serving Size

Method References	Testing Location

