

Women's Prenatal Test Results*

Lot Details
Serving Size
Manufacturing Date
Lot Number

Prenatal Multivitamin
8 capsules
May 2025
W0043643



HEAVY METALS

Our Heavy Metal Test Specifications and Compliance Standards

At FullWell, we prioritize transparency and safety by testing every product lot for heavy metals and sharing the results with our customers. To ensure the highest safety standards, we adhere to California's Proposition 65 (Prop 65) limits, which are among the most stringent globally. For example, Prop 65 sets the maximum allowable daily exposure (MADL) for lead at 0.5 micrograms, significantly lower than other standards worldwide. In our test results, we report heavy metal content in micrograms (mcg) per capsule and per daily serving to ensure clarity and alignment with Prop 65's Safe Harbor Levels and MADLs where applicable. For more information, visit our site.

TEST	MCG/CAPSULE	MCG/DAILY SERVING	PROP 65 TEST LIMITS
Arsenic	0.016 mcg/capsule	0.128 mcg/daily serving of 8 capsules	<10 mcg/daily serving
Cadmium	0.014 mcg/capsule	0.112 mcg/daily serving of 8 capsules	<4.1 mcg/daily serving
Lead	0.045 mcg/capsule	0.36 mcg/daily serving of 8 capsules	<0.5 mcg/daily serving
Mercury	0.005 mcg/capsule	0.04 mcg/daily serving of 8 capsules	<0.3 mcg/daily serving †

ALLERGENS

TEST	RESULTS	LIMITS
Gluten	Not detected	<20.0 ppm
Soy	Not detected	< 10 ppm**
Egg	Not detected	< 10 ppm**

Women's Prenatal Test Results*

ALLERGENS

TEST	RESULTS	LIMITS
B-lactoglobulin Dairy	Not detected	<10.0 ppm**
Peanut	Not detected	< 10 ppm**
Walnut	Not detected	< 10 ppm**
Almond	Not detected	<10.0 ppm
Sesame	Not detected	< 10 ppm**
Fish	Not detected	< 10 ppm**
Tropomyosin from Crustaceans	Not detected	< 10 ppm**

MICROBES

TEST	RESULTS	LIMITS
E. coli	Absent	Absent/10 g
Yeast & Mold	<10 CFU/g	<500 CFU/g
S. aureus	Absent	Absent/10 g
Salmonella	Absent	Absent/10 g
Total Plate Count	10 CFU/g	<500 CFU/g

Women's Prenatal Test Results*

OTHER CONTAMINANTS

TEST	RESULTS	LIMITS
Glyphosate	Not detected	<0.1 ppm
BPA	Not detected	<0.04 ppm

As a reproductive health company that makes products for women and their partners, including those who are trying to get pregnant, pregnant, postpartum and breastfeeding, we take an extremely conservative approach to safety by adopting and adhering to the most conservative standards that exist solely to protect the health and well-being of you, the consumer. We will never release a product that doesn't pass our strict specifications and quality control process. This ensures the highest level of safety and trust for our customers.

*We use third-party testing through Eurofins, and other fully qualified, ISO 17025 accredited laboratories, to verify these results and ensure accuracy. Results have been transcribed into an easy-to-understand format. If you would like to request a copy of the original Certificate of Analysis, please email cs@fullwellfertility.com.

**For total allergens.

† While Prop65 does not establish a MADL for mercury, many legal settlements within California have set precedence for a lower limit of 0.3mcg/day.