

Women's Prenatal Test Results*

Lot Details
Serving Size
Manufacturing Date
Lot Number

Prenatal Multivitamin
 8 capsules
 March 2026
 W0046897



HEAVY METALS

Our Heavy Metal Test Specifications and Compliance Standards

At FullWell, we prioritize transparency and safety by testing every product lot for heavy metals and sharing the results with our customers. To ensure the highest safety standards, we adhere to California's Proposition 65 (Prop 65) limits, which are among the most stringent globally. For example, Prop 65 sets the maximum allowable daily exposure (MADL) for lead at 0.5 micrograms, significantly lower than other standards worldwide. In our test results, we report heavy metal content in micrograms (mcg) per capsule and per daily serving to ensure clarity and alignment with Prop 65's Safe Harbor Levels and MADLs where applicable. For more information, visit our site.

TEST	MCG/CAPSULE	MCG/DAILY SERVING	PROP 65 TEST LIMITS
Arsenic	0.016 mcg/capsule	1.28 mcg/daily serving of 8 capsules	<10 mcg/daily serving
Cadmium	0.08 mcg/capsule	0.64 mcg/daily serving of 8 capsules	<4.1 mcg/daily serving
Lead	0.032 mcg/capsule	0.256mcg/daily serving of 8 capsules	<0.5 mcg/daily serving
Mercury	0.005 mcg/capsule	0.04 mcg/daily serving of 8 capsules	<0.3 mcg/daily serving †

ALLERGENS

TEST	RESULTS	LIMITS
Gluten	Not detected	<20.0 ppm
Soy	Not detected	< 10 ppm**
Egg	Not detected	< 10 ppm**

Women's Prenatal Test Results*

ALLERGENS

TEST	RESULTS	LIMITS
B-lactoglobulin Dairy	Not detected	<10.0 ppm**
Peanut	Not detected	< 10 ppm**
Walnut	Not detected	< 10 ppm**
Almond	Not detected	<10.0 ppm
Sesame	Not detected	< 10 ppm**
Fish	Not detected	< 10 ppm**
Tropomyosin from Crustaceans	Not detected	< 10 ppm**

MICROBES

TEST	RESULTS	LIMITS
E. coli	Absent	Absent/10 g
Yeast & Mold	<10 CFU/g	<500 CFU/g
S. aureus	Absent	Absent/10 g
Salmonella	Absent	Absent/10 g
Total Plate Count	2600 CFU/g	<5000 CFU/g

Women's Prenatal Test Results*

OTHER CONTAMINANTS


TEST	RESULTS	LIMITS
Glyphosate	Not detected	<0.1 ppm
BPA	Not detected	<0.04 ppm

As a reproductive health company that makes products for women and their partners, including those who are trying to get pregnant, pregnant, postpartum and breastfeeding, we take an extremely conservative approach to safety by adopting and adhering to the most conservative standards that exist solely to protect the health and well-being of you, the consumer. We will never release a product that doesn't pass our strict specifications and quality control process. This ensures the highest level of safety and trust for our customers.

*We use third-party testing through Eurofins, and other fully qualified, ISO 17025 accredited laboratories, to verify these results and ensure accuracy. Results have been transcribed into an easy-to-understand format. If you would like to request a copy of the original Certificate of Analysis, please email cs@fullwellfertility.com.

**For total allergens.


† While Prop65 does not establish a MADL for mercury, many legal settlements within California have set precedence for a lower limit of 0.3mcg/day.




Certificate of Analysis

Company: FullWell Fertility LLC Product: Women's Prenatal Multivitamin
 Lot #: W0046897 240ct
 Batch #: FUL001a-260514 Company Code: N/A
 Capsule Lot #: W0046917 Version: N/A
 Formula: FUL001 Label Revision: V10
 Manufacture Date: 03/15/2026

Identification of Ingredients per 8 capsules	Specification	Result	Method
Vitamin A (as Retinyl Palmitate & Beta Carotene)	1,500 mcg RAE	1,569 mcg RAE	HPLC
Vitamin C (as Ascorbic Acid)	275 mg	Confirmed	By Input
Vitamin D (as Cholecalciferol)	4,000 IU (100 mcg)	104 mcg	HPLC
Vitamin E (as D-Alpha Tocopheryl Succinate)	100 mg	161 mg	HPLC
Thiamin (as Thiamin HCl)	5 mg	Confirmed	By Input
Riboflavin (as Riboflavin-5'-Phosphate & Riboflavin)	10 mg	Confirmed	By Input
Niacin	25 mg NE	Confirmed	By Input
Vitamin B6 (as Pyridoxal-5-Phosphate)	10 mg	Confirmed	By Input
Folate (as L-5-Methyltetrahydrofolate Calcium & Calcium Folate)	1,360 mcg DFE (800 mcg)	1,612 mcg DFE	HPLC
Vitamin B12 (as Methylcobalamin & Adenosylcobalamin)	150 mcg	156 mcg	HPLC
Biotin	500 mcg	Confirmed	By Input
Pantothenic Acid (as D-Calcium Pantothenate)	150 mg	Confirmed	By Input
Choline (as Choline Bitartrate)	300 mg	345 mg	HPLC
Calcium (as Dicalcium Malate)	400 mg	Confirmed	By Input
Iodine (as Potassium Iodide)	250 mcg	Confirmed	By Input
Magnesium (as Magnesium Bisglycinate Chelate Buffered)	300 mg	333 mg	ICP-MS
Zinc (as Zinc Bisglycinate Chelate)	20 mg	Confirmed	By Input
Selenium (as L-Selenomethionine)	200 mcg	Confirmed	By Input
Copper (as Copper Bisglycinate Chelate)	750 mcg	Confirmed	By Input
Manganese (as Manganese Bisglycinate Chelate)	5 mg	Confirmed	By Input
Chromium (as Chromium Nicotinate Glycinate Chelate)	120 mcg	Confirmed	By Input
Molybdenum (as Molybdenum Glycinate)	100 mcg	Confirmed	By Input
Potassium (as Potassium Citrate)	100 mg	Confirmed	By Input
Inositol	150 mg	Confirmed	By Input
Betaine HCl	150 mg	Confirmed	By Input
Vitamin K2 (as Menaquinone-7) (MK-7)	100 mcg	Confirmed	By Input
Vegetable Capsule (HPMC, Water)		1,096 mg	By Input
Microcrystalline Cellulose		1,095 mg	By Input
Magnesium Stearate		160 mg	By Input
Silica		16 mg	By Input






Certificate of Analysis


Company:	FullWell Fertility LLC	Product:	Women's Prenatal Multivitamin 240ct
Lot #:	W0046897	Company Code:	N/A
Batch #:	FUL001a-260514	Version:	N/A
Capsule Lot #:	W0046917	Label Revision:	V10
Formula:	FUL001		
Manufacture Date:	03/15/2026		

Microbiology	Specification	Result	Method
Total Plate Count	<5,000 CFU/g	2600 CFU/g	USP/NF, 2021
Yeast & Mold	<500 CFU/g	<10 CFU/g	USP/NF, 61
<i>E. coli</i>	Negative/10g	Negative/10g	USP/NF, 2022
<i>S. aureus</i>	Negative/10g	Negative/10g	USP/NF, 62
Salmonella	Negative/10g	Negative/10g	USP/NF, 2022

Heavy Metals	Specification	Result	Method
Arsenic	< 1.2500 µg/ whole capsule	0.02 µg/whole capsule	ICP-MS
Cadmium	< 0.5125 µg/ whole capsule	0.01 µg/ whole capsule	ICP-MS
Lead	< 0.0625 µg/ whole capsule	0.04 µg/ whole capsule	ICP-MS
Mercury	< 0.0375 µg/ whole capsule	<0.005 µg/ whole capsule	ICP-MS

Allergens	Specification	Result	Method
Glyphosate	Not Detected	Not Detected	LC-MS/MS
BPA	Not Detected	Not Detected	LC-MS/MS
Corn	Not Detected	Negative	RT PCR
Gluten	< 20 ppm	<LOQ	ELISA
Sesame	Not Detected	<LOQ	ELISA
Soy	Not Detected	<LOQ	ELISA
Beta-lactoglobulin (Dairy)	Not Detected	<LOQ	ELISA
Egg	Not Detected	<LOQ	ELISA
Fish (Parvalbumin)	Not Detected	<LOQ	ELISA
Peanut	Not Detected	<LOQ	ELISA
Walnut	Not Detected	<LOQ	ELISA
Almond	Not Detected	<LOQ	ELISA
Brazil Nut	Not Detected	<LOQ	ELISA
Cashew	Not Detected	<LOQ	ELISA
Macadamia	Not Detected	<LOQ	ELISA
Pecan Protein	Not Detected	<LOQ	ELISA
Hazelnut	Not Detected	<LOQ	ELISA
Pistachio	Not Detected	<LOQ	ELISA
Tropomyosin (Crustaceans)	Not Detected	<LOQ	ELISA





Certificate of Analysis

Company:	FullWell Fertility LLC	Product:	Women's Prenatal Multivitamin 240ct
Lot #:	W0046897	Company Code:	N/A
Batch #:	FUL001a-260514	Version:	N/A
Capsule Lot #:	W0046917	Label Revision:	V10
Formula:	FUL001		
Manufacture Date:	03/15/2026		

Physical Property	Specification	Result	Method
Fill Color	Beige	Pass	Visual
Capsule Type	CapsCanada® Natural K-CAPS®	Pass	Visual
Capsule Size	00	Pass	Visual
Disintegration Time	< 30 min	21.43 min	Distek
Gross Weight	Target 984 mg	974 mg	By Input
Net Fill Weight	Target 847 mg	837 mg	By Input
Weight Variation	Meets USP requirements	Conforms	USP <2091>

Information provided by:

QA

Revised Date: 05/05/2026

